

Order no.: 027931

Platform with trapdoor

Suitable for scaffolding length

1.8 m

2.45 m

3.0 m



Specification

| | | | | |
|--|---------------------|------------------|---|---|
| Length 1.89 m | Width 610 mm | Height 105 mm | Suitable for Mobile scaffolding Folding scaffolding | Transport dimensions 1895 x 610 x 105 mm, 15 kg |
| Business division MUNK Günzburger Steigtechnik | Order no. 027931 | | | |

Facts

- Platform with integrated trapdoor for safe access
- Practical platform for effortless handling and transport
- Stable platform for safe working conditions
- Platform with trapdoor

Scope of supply

- Platform: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022