

Order no.: 027945

Folding frame unit with swivel castors

Scaffolding width [mm]

750 1350



Specification

| | | | | |
|------------------------------------|--|--------------------------|---|--|
| Scaffolding width 750 mm | Suitable for Folding scaffolding | Weight 21.5 kg | Transport dimensions 1540 x 905 x 231 mm, 21.5 kg | Business division MUNK Günzburger Steigtechnik |
| Order no. 027945 | Price € 766.00 | | | |

Facts

- Locking brake on each castor for added safety
- Smooth-rolling castors ensure effortless movement
- Suitable for folding scaffolding with order no. 115301-115601

Scope of supply

- Frame: 1 x
- Swivel castor: 4 x
- Installation material: 1 x
- Assembly instructions and instructions for use: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

