

Order no.: 027945

## Folding frame unit with swivel castors

Scaffolding width [mm]

**750** 1350



### Specification

|                             |                                     |                   |   |  |
|-----------------------------|-------------------------------------|-------------------|---|--|
| Scaffolding width<br>750 mm | Suitable for<br>Folding scaffolding | Weight<br>21.5 kg | Transport dimensions<br>1540 x 905 x 231<br>mm, 21.5 kg | Business division<br>MUNK Günzburger<br>Steigtechnik |
| Order no.<br>027945         | Price<br>€ 766.00                   |                   |   |  |

### Facts

- Parking brake on each castor for additional safety
- Smooth-running castors ensure effortless movement
- Suitable for folding scaffolding with order no. 115301–115601

## Scope of supply

- Frame: 1 x
- Swivel castor: 4 x
- Installation material: 1 x
- Assembly instructions and instructions for use: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

