



# Railing lengthwise

Suitable for scaffolding length



2.45 m 3.0 m



## Specification

Length 1.89 m	Width 425 mm	Height 95 mm	Suitable for Mobile scaffolding   Folding scaffolding	Transport dimensions 1890 x 425 x 95 mm, 4 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027955			

#### **Facts**

- Longitudinal mounting for added stability and safety
- Reliable protection when working at heights
- Railing lengthwise

## Scope of supply

Garde-corps: 1 x

## Information on sustainability criteria



Corporate certification: ISO 9001

■ Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures





## Corporate certifications

#### Standards for quality and sustainability









