



Order no.: 027972

Folding frame unit, 1.35 m

Scaffolding length [mm]

 1800
 2450
 3000

Specification

| | | | | |
|--|--|-----------------------------|-----------------------------|------------------------------|
| Length 1.61 m | Width 1.35 m | Scaffolding width 1.35 m | Scaffolding length 1.8 m | Suitable for Klappgerüste |
| Transport dimensions (plus packaging) 1735 x 1335 x 255 mm, 23 kg | Business division MUNK Günzburger Steigtechnik | Order no. 027972 | | |

Facts

- Simple folding system for fast and uncomplicated assembly and dismantling
- Easy to attach with quick-release fasteners
- Folding frame unit for scaffolding width 1.35 m
- Ideal as a spare part for existing folding scaffolding

Scope of supply

- Frame: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

