

Order no.: 027973

## Swivel castor with spindle

Castor diameter [mm]

**125** 200



### Specification

Length 665 mm	Width 140 mm	Height 180 mm	Suitable for Folding scaffolding	Transport dimensions 665 x 140 x 180 mm, 4.5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027973			

### Facts

- With parking brake and spindle for height adjustment (300 mm)
- Load capacity up to 300 kg at Ø 125 mm
- Load capacity up to 500 kg at Ø 200 mm
- Suitable for our chassis bars, order no. 27923, and push-fit scaffolding frames

### Scope of supply

- Swivel castor: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



# Corporate certifications

---

## Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



**Nachhaltigkeit**

**EcoVadis**  
sustainable supply management

CSR-Rating in Silber 2022

