

Order no.: 030400

Working trestle, height adjustable



Specification

Base area width 500 mm	Base area length 780 mm	Adjustment range 300 mm	Max. load capacity 250 kg	Height adjustment Flexibel
Cover type Holz	Transport dimensions (plus packaging) 1000 x 505 x 703 mm, 7 kg	Business division MUNK Günzburger Steigtechnik	Order no. 030400	

Facts

- Height-adjustable working trestle made of aluminium
- Exchangeable wear cover made of spruce (1,000 x 60 x 25 mm)
- Infinitely adjustable height from 700–1,000 mm
- Secure locking due to clamping lever on each adjustment tube
- Thanks to the screw-on legs, the workbench can be transported in a space-saving manner and quickly reassembled when needed
- Cross bracing on both parts
- Bases with adjustment screws for level compensation

- Side-rail ends with cover caps
- Maximum load: 250 kg

Scope of supply

- Working trestle: 1 x
- feet: 2 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

