

Order no.: 030400

## Working trestle, height adjustable



### Specification

Base area width 500 mm	Base area length 780 mm	Adjustment range 300 mm	Max. load capacity 250 kg	Height adjustment Flexible
Cover type Wood	Transport dimensions (plus packaging) 1000 x 505 x 703 mm, 7 kg	Business division MUNK Günzburger Steigtechnik	Order no. 030400	

### Facts

- Height-adjustable working trestle made of aluminium
- Exchangeable wear cover made of spruce (1,000 x 60 x 25 mm)
- Infinitely adjustable height from 700–1,000 mm
- Secure locking due to clamping lever on each adjustment tube
- Cross bracing on both parts
- Bases with adjustment screws for level compensation
- Side-rail ends with cover caps
- Maximum load: 250 kg

## Scope of supply

- Working trestle: 1 x
- Instructions for use and operation: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

