



Order no.: 115006

Hook ladder DIN EN 1147

Specification

Intended use Zugang	Ladder length 4.4 m	Clear width between rungs 250 mm	Outer width 300 mm	Ladder feet Leiterschuh
Depth of side-rails 60 mm	Width of side-rails 25 mm	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 10 rungs
Step/Rung distance 335 mm	Max. load capacity 150 kg	Persons max. 1	Material Aluminium	Rung covering Standard (rot)
Transport dimensions (plus packaging) 4400 x 300 x 120 mm, 11 kg	Business division MUNK Rettungstechnik	Order no. 115006		

Facts

- Hook ladder made of aluminium
- Access ladder compliant with DIN EN 1147
- With heat-insulating, non-slip plastic coating
- Folding hook made of galvanised steel secured with locking pin
- Rubber feet as spacers

- 10 climbing rungs welded with side-rails, 3 hook rungs and 1 deck rung
- Corrosion-resistant fixtures made of galvanised steel
- Non-slip and replaceable ladder shoes
- Permissible load: 108 kg / 1 person

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Certificates



17KFP0667-02 -
Test Certificate
"Bauart geprüft"

Valid in

DIN EN 1147:2010
DIN EN 1147
BEIBLATT
(SUPPLEMENT)
1:2018
PAK-
ANFORDERUNG
FÜR GS (PAH
REQUIREMENT
FOR GS) AFPS GS
2019:01 PAK

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

