



Order no.: 115020

## Rescue and working platform with folding frame DIN 14830

### Specification

Platform height max. <b>1.87 m</b>	Platform length <b>1.8 m</b>	Platform width <b>800 mm</b>	Railing height <b>970 mm</b>	Surface <b>Natural aluminium grating</b>
Non-slip class <b>R12</b>	Outer width <b>800 mm</b>	Clear width <b>1.8 m</b>	Compensation of floor unevenness <b>270 mm</b>	Max. load capacity <b>500 kg</b>
Material <b>Aluminium</b>	Weight <b>59 kg</b>	Transport dimensions <b>1800 x 940 x 450 mm, 59 kg</b>	Business division <b>MUNK Rettungstechnik</b>	Order no. <b>115020</b>

### Facts

- Rescue platform compliant with DIN 14830
- For rescuing injured persons from trucks, buses and trains
- Can also be used as a working platform
- Sturdy aluminium design with non-slip grating (R 12)
- Platform height can be adjusted in stages
- Folding frame unit

- Four spindle feet for infinitely variable levelling by up to approx. 270 mm
- Platform size: 1,800 x 800 mm
- Permissible load: 500 kg

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

