

Order no.: 115099

## Rescue and working platform, multi-function ladder DIN EN 1147



### Specification

Working height min. 590 mm	Working height max. 1.4 m	Intended use Rettung	Max. load capacity 500 kg	Persons max. 2
Material Aluminium	Transport dimensions (plus packaging) 2170 x 635 x 153 mm, 54.5 kg	Business division MUNK Rettungstechnik	Order no. 115099	

### Facts

- Rescue and working platform made of aluminium
- Suitable for multi-function ladder 115093 (2x required)
- Platform height adjustable in four stages
- Non-slip surface made of aluminium grating R 13
- Scope of delivery: 1x platform (consisting of two sections for optimum transport dimensions)
- 2x base widener 115098, 1x railing system
- Permissible load: 500 kg

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Corporate certifications

---

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

