

Order no.: 600100

Triangular console



For step width [mm]

600

800

1000

1200

Specification

| | | | |
|----------------------|--|--|---------------------|
| Step width 600 mm | Transport dimensions 670 x 670 x 120 mm, 3.86 kg | Business division MUNK Günzburger Steigtechnik | Order no. 600100 |
|----------------------|--|--|---------------------|

Facts

- Versatile use for stairs, bridging steps and walkways
- Increases the stability and safety of designs
- Easy to assemble and install
- Tried-and-tested accessories make stairs, bridging steps and walkways even more practical in use. Even after many years, the most common accessories are still available for all articles offered, which are supplied and require customer assembly.

Scope of supply

- Triangular console: 1 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Product configurator

Configuring, enquiring about and ordering individual products could not be easier with our [product configurator](#) for stairs, bridging steps and mobile platform stairs. Simply enter your required dimensions and versions step by step, and a rotating 3D model will appear in real time. To save your configuration and request a quotation requires a login which will be set up for you by our Sales team.



Corporate certifications

Standards for quality and sustainability

