

Order no.: 077575

Rail barrier, detachable,
stainless steel

Model versions

solvable

rigid



Specification

| | | | | |
|--------------------------|---------------------------------|--|--|---------------------|
| Product type solvable | Material Stainless steel V4A | Transport dimensions (plus packaging) 115 x 85 x 22 mm, 0.42 kg | Business division MUNK Günzburger Steigtechnik | Order no. 077575 |
|--------------------------|---------------------------------|--|--|---------------------|

Facts

- Suitable for single-rail ladder and fall protection rail
- Removable rail barrier for flexible adjustment and maintenance access
- Robust and stable for safety during use

Scope of supply

- Rail barrier, detachable: 1 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001

- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

