



Order no.: 012009

Rung window cleaner's ladder upper section



Number of rungs

4 8

Specification

Ladder length 2.19 m	Number of steps/rungs 4 rungs	Step/Rung height 30 mm	Step depth 30 mm	Step/Rung distance 280 mm
Upper outer width 128 mm	Lower outer width 437 mm	Inclination 70 °	Depth of side-rails 73 mm	Width of side-rails 25 mm
Max. load capacity 120 kg	Design type Zum Anlehnen	Transport dimensions (plus packaging) 2196 x 437 x 135 mm, 5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 012009

Facts

- Rung window cleaner's ladder made of aluminium
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm
- 4-fold edged step-to-side-rail connection
- Secure push-fit connection with additional hook lock

- Upper ladder with castors and abrasion-resistant contact rubber pad with wedge cut-out
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)
- Depending on the selection, a maximum of four individual parts can be combined, as the standing height of 5.0 m must not be exceeded
- Rung distance: 280 mm
- Maximum load: 120 kg

Scope of supply

- Ladder upper section: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Corporate certifications

Standards for quality and sustainability

