



Order no.: 012009

# Rung window cleaner's ladder upper section



Number of rungs

4

8

## **Specification**

Ladder length 2.19 m	Number of steps/rungs <b>4 rungs</b>	Step/Rung height 30 mm	Step depth 30 mm	Step/Rung distance 280 mm
Upper outer width 128 mm	Lower outer width 437 mm	Inclination <b>70°</b>	Depth of side-rails <b>73 mm</b>	Width of side-rails <b>25 mm</b>
Max. load capacity 120 kg	Design type <b>To lean against</b>	Weight <b>5 kg</b>	Transport dimensions 2196 x 437 x 135 mm, 5 kg	Business division MUNK Günzburger Steigtechnik
Order no. <b>012009</b>	Price <b>€ 239.00</b>			

#### **Facts**

- Rung window cleaner's ladder made of aluminium
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm
- 4-fold edged step-to-side-rail connection



- Secure push-fit connection with additional hook lock
- Upper ladder with castors and abrasionresistant contact rubber pad with wedge cutout
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)
- Depending on the selection, a maximum of four individual parts can be combined, as the standing height of 5.0 m must not be exceeded

Rung distance: 280 mm

Maximum load: 120 kg

## Scope of supply

Ladder upper section: 1 x

Instructions for use and operation: 1 x

# Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality



- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures



#### Added value

#### **Industrial grade**

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



#### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders





# **Corporate certifications**

on sustainability criteria









