

Order no.: 011136

# Transport boxes, stackable

#### Model versions in accordance with volume [I]



## Specification

Volume	Length	Width	Inner width	Inner height
47 I	590 mm	395 mm	350 mm	245 mm
Inner length 550 mm	Transport dimensions 590 x 395 x 290 mm, 4.86 kg	Business division MUNK Günzburger Steigtechnik	Order no. 011136	

### Facts

- Transport box made of aluminium
- Universally applicable for the transport and storage of e.g. tools and measuring instruments, sports accessories, hobby utensils, photographic or camping equipment
- Robust and stable thanks to circumferential beads and multiple riveted hinges
- All-round seal in the edge profile to protect against dust and moisture
- Stainless steel folding clasps with device for padlock or barrel lock
- Stacks safely thanks to impact-resistant plastic corners
- Convenient transport thanks to ergonomic carrying handles and optionally available undercarriage
- These products are covered by the statutory warranty



#### Scope of supply

Box: 1 x

#### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



## More product pictures





### Corporate certifications

on sustainability criteria

