

Order no.: 032013

## 4-section telescopic rung ladder without crossbar



Number of rungs

- 4x3
- 4x4
- 4x5
- 4x6

### Specification

|  |   |   |   |   |
|--|---|---|---|---|
| Working height min.<br>3.05 m  | Working height max.<br>4.2 m                      | Number of steps/rungs<br>4x 3 rungs               | Step/Rung height<br>30 mm                 | Step depth<br>30 mm                                   |
| Step/Rung distance<br>280 mm   | Step design<br>Sprossen                           | Ladder length as straight ladder (min.)<br>1.95 m | Ladder length as straight ladder<br>3.1 m | Ladder length as double-sided ladder (min.)<br>980 mm |
| Ladder length as double-sided ladder<br>1.5 m                          | Outer width<br>500 mm                             | Width of side-rails<br>25 mm                      | Max. load capacity<br>150 kg              | Design type<br>Flexibel   4-teilig   treppengängig    |
| Transport dimensions (plus packaging)<br>1030 x 495 x 195 mm, 11.88 kg | Business division<br>MUNK Günzburger Steigtechnik | Order no.<br>032013                               |   |   |

### Facts

- Aluminium telescopic rung ladder
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm
- High-strength rung-to-side-rail connection
- Can be used as a step and straight ladder

- Folding in the middle by automatically locking steel hinges
- Both outer sections are telescopic from rung to rung
- Conical side-rail guide for safe stance
- Rung distance: 280 mm
- Maximum load: 150 kg
- Note: Straight ladders over 3.0 m can be used without a stabiliser only when they are used exclusively for their intended purpose (e.g. permanently installed, fitted with hooks, fastened with a belt)
- Note: In accordance with TRBS 2121 Part 2, a suitable accessory is required for working on this ladder

### Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany

- **Recyclability:** Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- **Socially acceptable working conditions in production:** fair wages, gender equality
- **Economical and recyclable packaging:** no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- **No health hazards for the users**

## More product pictures

---



## Added value

### Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



### Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



### Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



### practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

### Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



### Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



## Corporate certifications

---

### Standards for quality and sustainability

