



Order no.: 062235

Back protection brace for fixed ladders

Material

Aluminium

Stainless steel

Galvanised steel / hot dip galvanised steel

Anodised aluminium

Specification

Length 3.22 m	Material Aluminium	Transport dimensions 3220 x 28 x 20 mm, 1 kg	Business division MUNK Günzburger Steigtechnik	Order no. 062235
Spare part for article no. 510100	Spare part for article no. 510105	Spare part for article no. 510125	Spare part for article no. 510110	Spare part for article no. 510115
Spare part for article no. 510120				

Facts

- Increases safety when ascending and descending vertical ladders
- For use in demanding environments
- C-connector rear protection struts can be ordered separately
- Back protection hoop strut, 3,220 mm long



Scope of supply

Brace: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Added value

Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning





Corporate certifications

on sustainability criteria

