



Order no.: 019910

Hook-in step R13 for rung ladders

Specification

Product type	Length	Width	Step width	Step depth
Accessories	299 mm	284 mm	265 mm	299 mm
Suitable for ladder type Rung ladders	Material Aluminium	Transport dimensions 365 x 290 x 59 mm, 1.04 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019910

Facts

- Suitable for rung ladders (recommended clear width 320 mm)
- Made of aluminium
- For comfortable and fatigue-free standing for working in accordance with TRBS 2121 Part 2
- Work safety to the highest non-slip class R 13 thanks to the aluminium oxide particles in the platform surface
- Maximum load: 150 kg
- Not suitable for wooden rung ladders



Scope of supply

Step stool: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures









Corporate certifications

Standards for quality and sustainability









