

Order no.: 019910

## Hook-in step R13 for rung ladders



### Specification

Product type <b>Accessories</b>	Length <b>299 mm</b>	Width <b>284 mm</b>	Step width <b>265 mm</b>	Step depth <b>299 mm</b>
Suitable for ladder type <b>Rung ladders</b>	Material <b>Aluminium</b>	Weight <b>1.04 kg</b>	Transport dimensions <b>365 x 290 x 59 mm, 1.04 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>
Order no. <b>019910</b>	Price <b>€ 56.00</b>			

### Facts

- Suitable for rung ladders (recommended clear width 320 mm)
- Made of aluminium
- For comfortable and fatigue-free standing for working in accordance with TRBS 2121 Part 2
- Work safety to the highest non-slip class R 13 thanks to the aluminium oxide particles in the platform surface
- Maximum load: 150 kg

- Not suitable for wooden rung ladders

### **Scope of supply**

- Step stool: 1 x

### **Information on sustainability criteria**

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

