



Order no.: 041595

Retrofit kit clip-step R13 for platform ladder movable

Set for ladders with number of steps

8 steps 9 steps 11 steps

Specification

Suitable for Platform ladders	Product type Accessories	Max. load capacity 150 kg	Length 528 mm	Width 85 mm
Height 23 mm	Step depth 80 mm	Set for ladders with 8 steps	Type of non-slip protection clip-step R13	Material Plastics
Transport dimensions (plus packaging) 528 x 100 x 60 mm, 1.29 kg	Business division MUNK Günzburger Steigtechnik	Order no. 041595		

Facts

- The clip-step R 13 step padding is a certified, non-slip covering for our step ladders. With its plastic profile with aluminium oxide particles, the clip-step R13 step padding meets the specifications of classification group R13 and was classified as V6 for the displacement space in this classification group
- The clip-step R13 step padding is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step R13 step padding is fitted up to the highest accessible step as defined by DIN EN 131 for step ladders accessible from both sides, functioning as a visual check that the ladder is being used correctly

- Available as single accessory for 12.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

Scope of supply

- Clip-step R13 step padding: x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitsschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

