



Order no.: 114903

## SafeCaddy® "First Aid"

Type

with loading

without loading

### Specification

Tyres <b>PU wheel (polyurethane)</b>	Wheel diameter <b>260 mm</b>	Wheel width <b>75 mm</b>	Unladen weight <b>28.8 kg</b>	Payload max. <b>46 kg</b>
Perm. total weight <b>80 kg</b>	Number of baskets (open) <b>1</b>	Inner width basket <b>394 mm</b>	Inner height basket <b>320 mm</b>	Inner depth basket <b>258 mm</b>
Mesh size basket <b>30 mm</b>	Number of equipment boxes (closed) <b>1</b>	Inner width of equipment box <b>408 mm</b>	Inner height of equipment box <b>278 mm</b>	Inner depth of equipment box <b>200 mm</b>
Projection (equipment box open) <b>883 mm</b>	Number of compartments (open) <b>2</b>	Inner width compartment A <b>397 mm</b>	Inner depth compartment A <b>250 mm</b>	Inner width compartment B <b>423 mm</b>
Inner depth compartment B <b>170 mm</b>	Compartments incl. aluminium box <b>1</b>	Profile <b>30x30 mm</b>	Material <b>Aluminium   Coated steel</b>	Business division <b>MUNK Rettungstechnik</b>
Transport dimensions <b>636 x 570 x 1147 mm, 34 kg</b>	Order no. <b>114903</b>			

### Facts

- The mobile safety system

### Description

- Transport solution in anodised aluminium
- Optimised for first aid / first responder protection
- Eye-catching design for easy recognition as a rescue tool
- The innovative advantage in every security concept
- Large mesh basket for directly accessible aids
- 2 storage compartments for directly accessible tools
- 1 closed material box for additional auxiliary and rescue equipment
- incl. aluminium box for individual equipment
- Comfortable, rubberised push handle
- Puncture-proof wide wheels made of PU, roller bearings (not blocked even after long periods of standing and always ready for use)
- 4 support feet for stable stand and pressure relief of the wheels
- Integrated lashing points for safe transport
- Simple and ergonomic operation by one person
- Fabric reinforced cover as accessory

SafeCaddy® "First Aid" with loading: Your reliable and versatile mobile safety system for optimal first aid and first aid protection. Our high-quality transport solution made of anodised aluminium offers you the innovative plus in every safety concept.

With its eye-catching design, the SafeCaddy® "First Aid" is immediately recognisable as a rescue aid. Whether in the hustle and bustle of an emergency or for the rapid provision of aid, this mobile solution is your trusted companion.

The large mesh basket allows direct access to your important aids. With a storage compartment for directly accessible aids and a closed material box for additional aids and rescue equipment, the SafeCaddy® offers enough space for your needs. And the best thing is: an aluminium box for individual equipment is already included in the scope of delivery!

The SafeCaddy® offers you not only optimum functionality but also maximum comfort. The comfortable, rubberised push handle allows easy and ergonomic operation by one person. Thanks to the puncture-proof wide wheels made of polyurethane (PU) with roller bearings, you are always ready for action, even after standing for a long time. The 4 support feet ensure a stable stand and take the strain off the wheels.

Your safety is our top priority. The SafeCaddy® has integrated lashing points to ensure safe transport. So you can be sure that your equipment will arrive at its destination reliably and protected.

The SafeCaddy® "First Aid" with load comes with the state-of-the-art Stryker LIFEPAK® CR2 defibrillator equipped with the LIFELINKcentral™ AED ProgramManager. You will also receive the GRAMM first aid kit in the large version, filled in accordance with DIN 13 169:2021-11.

Do not hesitate and invest in the safety of your team and your fellow human beings. The SafeCaddy® "First Aid" with load is the optimal choice for effective and reliable first aid coverage.

### Scope of supply

- SafeCaddy® trolley: 1 x
- Stryker LIFEPAK® CR2 Defibrillator with LIFELINKcentral™ AED Program Manager: 1 x
- GRAMM First aid kit, large (MULTI), filled (DIN 13 169:2021-11): 1 x
- Case with lid: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

