



Order no.: 019477

Automatic steel hinge for scaffolding folding frame

Specification

Length	Width	Height	Suitable for	Transport dimensions 249 x 110 x 27 mm, 0.99 kg
248 mm	25 mm	110 mm	Folding scaffolding	
Business division MUNK Günzburger Steigtechnik	Order no. 019477			

Facts

- Robust automatic steel hinge for scaffolding folding frame
- Increases safety through reliable hinge function
- Incl. mounting material

Scope of supply

■ Hinge: 1 x

Installation material: 1 x

Information on sustainability criteria



Corporate certification: ISO 9001

■ Corporate certification: ISO 14001

■ Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability









