



Order no.: 116121

## Telescopic tear hook

### Specification

Material <b>Aluminium coated</b>	Extended length <b>3.2 m</b>	Extended length with extension <b>4.8 m</b>	Weight with extension <b>7.75 kg</b>	Voltage protection max. <b>1000 V</b>
Business division <b>MUNK Rettungstechnik</b>	Order no. <b>116121</b>			

### Facts

- Handle made of aluminium section
- Gradually telescoping
- Optional extension (part no. 116122) available
- Pulling force of 2.5 kN in lengthways direction
- Captive screws that can be operated without tools for locking or securing
- Cover caps captive with rope
- Non-slip grip and cold protection
- Protection against voltages up to max. 1,000 volts
- Built-in brake system for controlled retraction

- With protective cover in RAL 3000

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

