



Order no.: 068253

# Ground attachment for base plate

Material

Stainless steel

Galvanised steel

## Specification

Material Stainless steel Transport dimensions 370 x 120 x 120 mm, 0.66 kg

Business division MUNK Günzburger Steigtechnik Order no. 068253

#### **Facts**

- 120 x 120 mm, for attaching the vertical ladder to the ground
- Hole: Ø 13 mm
- New: Length 370 mm, can be shortened on site if required

### Scope of supply

Flange plate: 1 x

## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001



Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures





#### Added value

#### Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning





## Corporate certifications

#### on sustainability criteria







