



Order no.: 030413 ML working trestle, folding

Specification

Height	Base area width	Base area length	Max. load capacity	Height adjustment
810 mm	900 mm	590 mm	150 kg	rigid
Cover type Wood silk-screen printing	Transport dimensions 865 x 900 x 108 mm, 3.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 030413	

Facts

- Aluminium folding working trestle
- Stable rectangular tube side-rails
- Cover made of anti-slip film-faced plywood board.
- Just 110 mm wide when folded together
- Cross bracing thanks to welded rectangular rungs
- High stability thanks to spreader lock with two high-strength polyester straps underneath the rung
- Side-rail ends with inside shoes and cover caps
- Maximum load: 150 kg



Scope of supply

Working trestle: 1 x

Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Corporate certifications

on sustainability criteria

