



Order no.: 030413

ML working trestle, folding

Specification

Height 810 mm	Base area width 900 mm	Base area length 590 mm	Max. load capacity 150 kg	Height adjustment rigid
Cover type Wood silk-screen printing	Transport dimensions (plus packaging) 865 x 900 x 108 mm, 3.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 030413	

Facts

- Aluminium folding working trestle
- Stable rectangular tube side-rails
- Cover made of anti-slip film-faced plywood board.
- Just 110 mm wide when folded together
- Cross bracing thanks to welded rectangular rungs
- High stability thanks to spreader lock with two high-strength polyester straps underneath the rung
- Side-rail ends with inside shoes and cover caps
- Maximum load: 150 kg


Scope of supply

- Working trestle: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

