



Front-side railing for rigid work platform





Specification

| Length | Width | Height | Diameter | Material |
|--|-----------------------------|--|---------------------|-----------|
| 590 mm | 640 mm | 590 mm | 30 mm | Aluminium |
| Transport dimensions 590 x 640 x 75 mm, 1.4 kg | Product type Accessories | Business division MUNK Günzburger Steigtechnik | Order no. 050046 | |

Facts

- 600 mm high, sturdy railing
- Made of aluminium
- Completely pre-assembled and easy to screw on
- Can be used only in connection with handrails on both sides
- Not for order no. 050031, 050008, 051030, 051031, 051018



Scope of supply

Assembly instructions: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

on sustainability criteria









