

Order no.: 301312

Protective cage with retractable toe board



Specification

Cage length 1.5 m	Cage width 1.5 m	Height 600 mm	Product type With retractable toe board	Transport dimensions (plus packaging) 1500 x 1500 x 630 mm, 21.5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 301312			

Facts

- Compulsory accessories
- Serves as safety railing during operation or inspection work
- Ideal adaptation to the contour of the vehicle thanks to retractable toe board

Scope of supply

- Round protective cage: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

-
- Corporate certification: ISO 9001
 - Corporate certification: ISO 14001
 - Corporate certification: EN 1090
 - Corporate certification: EcoVadis
 - RoHS
 - REACH
 - The MUNK Group complies with a Code of Conduct
 - The Supply Chain Act does not apply due to our size
 - The materials used are listed in the technical specification
 - Resource-saving production: own photovoltaic systems
 - Energy-efficient consumption during production: LED lighting
 - Repairability, durability and quality: 15-year warranty on series products made in Germany
 - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
 - Socially acceptable working conditions in production: fair wages, gender equality
 - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
 - No health hazards for the users

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Corporate certifications

Standards for quality and sustainability

