



Order no.: 115476

## Telescopic combination ladder Combi Line



Number of steps

5 + 2

## Specification

Working height max. 3.1 m	Number of steps/rungs 5 + 2 steps	Step depth 90 mm	Step design Steps	Retracted length 690 mm
Extended length 2.34 m	Outer width 690 mm	Stabiliser width 690 mm	Max. load capacity 150 kg	Design type Freestanding   Double-sided access
Transport dimensions (plus packaging) 740 x 480 x 200 mm, 15.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 115476		

## Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy triangular side-rails, anodised for abrasion resistance
- 90 mm deep steps with line profiles to minimise the risk of slipping
- High-strength step-to-side-rail connection
- Convenient height adjustment through intuitive telescopic function

- Can be used as a step and straight ladder
- Easy to transport thanks to integrated carrying handle (enclosed loose)
- Folds together compactly
- Maximum load: 150 kg
- Tool tray optionally available as an accessory
- These products are covered by the statutory warranty

### Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x
- Carry handle (enclosed separately): 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Added value

### Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



### Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



### Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



### practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

### Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



### Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



### Certificates



## Corporate certifications

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID: 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

