



Order no.: 115480

Telescopic work platform

Solid Line



Number of rungs

2x4

Specification

Working height min. 2.2 m	Working height max. 2.6 m	Number of steps/rungs 2x 4 steps	Step depth 65 mm	Step design Steps
Base area 1.96 m	Retracted length 740 mm	Extended length 880 mm	Platform height min. 510 mm	Platform height max. 880 mm
Outer width 620 mm	Stabiliser width 620 mm	Max. load capacity 150 kg	Design type Double-sided access Freestanding	Transport dimensions 740 x 470 x 285 mm, 19.5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 115480			

Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy round side-rails, anodised for abrasion resistance
- 65 mm deep steps with line profiles minimise the risk of slipping
- High-strength rung-to-side-rail connection

- Three different platform heights (0.51/0.68/0.88 m) possible
- Grooved work platform for safe standing
- Easy to transport thanks to integrated carrying handle (enclosed loose)
- Folds together compactly
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Work platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



Certificates



Corporate certifications

Standards for quality and sustainability



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

