



Order no.: 115480

Telescopic work platform Solid Line



Number of rungs

2x4

Specification

| | | | | |
|--|--|--|--|---------------------------------------|
| Working height min. 2.2 m | Working height max. 2.6 m | Number of steps/rungs 2x 4 steps | Step depth 65 mm | Step design Steps |
| Base area 1.96 m | Retracted length 740 mm | Extended length 880 mm | Platform height min. 510 mm | Platform height max. 880 mm |
| Outer width 620 mm | Stabiliser width 620 mm | Max. load capacity 150 kg | Design type Double-sided access Freestanding | Weight 19.5 kg |
| Transport dimensions 740 x 470 x 285 mm, 19.5 kg | Business division MUNK Günzburger Steigtechnik | Order no. 115480 | Price € 870.00 | |

Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy round side-rails, anodised for abrasion resistance
- 65 mm deep steps with line profiles minimise the risk of slipping
- High-strength rung-to-side-rail connection
- Three different platform heights (0.51/0.68/0.88 m) possible
- Grooved work platform for safe standing

- Easy to transport thanks to integrated carrying handle (enclosed loose)
- Folds together compactly
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Work platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



Certificates



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

