



Order no.: 070506

Frame extension can be clamped on

Specification

Length 1.07 m	Width 125 mm	Height 148 mm	Suitable for Mobile scaffolding Folding scaffolding	Transport dimensions 148 x 125 x 1065 mm, 2.3 kg
Business division MUNK Günzburger Steigtechnik	Order no. 070506			

Facts

- Maximum stability on uneven ground
- Height-adjustable, can easily be mounted on the scaffolding bar if necessary
- Adjustment range max. 400 mm
- Delivery time: 10 working days

Scope of supply

Frame extension: 1 x



Information on sustainability criteria

Corporate certification: ISO 9001

■ Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

RoHS

■ REACH

■ The MUNK Group complies with a Code of Conduct

The Supply Chain Act does not apply due to our size

The materials used are listed in the technical specification

Resource-saving production: own photovoltaic systems

Energy-efficient consumption during production: LED lighting

Repairability, durability and quality: 15-year warranty on series products made in Germany

Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.

Socially acceptable working conditions in production: fair wages, gender equality

Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic

No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability









