



Order no.: 070507

Safety door on front side

Suitable for scaffolding width

0.75 m

1.35 m

Specification

Length 725 mm	Width 70 mm	Height 1.06 m	Scaffolding width 750 mm	Suitable for Mobile scaffolding Folding scaffolding
Transport dimensions (plus packaging) 1065 x 650 x 105 mm, 7 kg	Business division MUNK Günzburger Steigtechnik	Order no. 070507		

Facts

- For converting standard mobile scaffolding towers to meet special requirements
- These accessories are produced in accordance with DIN EN 1004
- Delivery time: 10 working days

Scope of supply

- Security door: 1 x
- Installation material: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

