

Order no.: 050032

Work platform



Number of steps

1



Specification

Working height 2.25 m	Platform height 250 mm	Top surface depth 600 mm	Top surface width 1 m	Step/Platform surface Aluminium tibial plate
Non-slip class R10	Base area length 690 mm	Base area width 1.04 m	Design type rigid	Number of steps/rungs 1 steps
Platform included as step Yes	Max. load capacity 150 kg	Material Aluminium	Weight 8 kg	Transport dimensions 1030 x 685 x 257 mm, 8 kg
Business division MUNK Günzburger Steigtechnik	Order no. 050032	Price € 304.00		

Facts

- Aluminium work platform
- Sturdy, welded bar design
- Top tread surface: 1,000 x 600 mm
- Platform surface made of non-slip aluminium chequered plate
- Low weight for easy transport

Description

Step up to a new level of work with our innovative aluminium work platform from the MUNK Günzburger Steigtechnik brand! With its sturdy welded tubular frame and non-slip surface made of aluminium warded sheet, this work platform is the ideal solution for your elevated work.

- Non-slip plastic shoes
- Maximum load: 150 kg

The upper tread surface of 1,000 x 600 mm provides enough space to stand safely and work comfortably. Thanks to the R10 slip resistance class, you can rely on a safe and non-slip surface that gives you full control and stability for every task.

The low weight of only 8 kg makes transporting this work platform a breeze. This makes the work platform easy to handle and quickly ready for use.

Thanks to the non-slip plastic shoes, you can be sure that the work platform will stand stably and firmly on the floor without leaving scratches or marks. The maximum load of 150 kg allows you to work with heavy tools and materials without compromising on your safety.

Rely on the quality and reliability of the MUNK Günzburger Steigtechnik brand, which has been known for first-class access technology solutions for many years. Convince yourself of the quality of this product!

Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems

- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Certificates



5011053.24005-1
- Certificate
Product Safety
Type approved

Valid in

EN 14183:2003
EN 131-3:2018

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

