



Order no.: 041540

## Retrofit kit clip-step R13 for double-sided step ladder, with single-sided access

Set for ladders with

- 3 steps
- 4 steps
- 5 steps
- 6 steps
- 7 steps
- 8 steps
- 9 steps
- 10 steps
- 12 steps
- 14 steps

### Specification

|   |   |  |  |                             |
|---|---|--|--|-----------------------------|
| Product type<br><b>Accessories</b>                      | Length<br><b>379 mm</b>                                       | Width<br><b>85 mm</b>  | Height<br><b>23 mm</b>                                 | Step depth<br><b>80 mm</b>  |
| Suitable for ladder type<br><b>Double-sided ladders</b> | Set for ladders with<br><b>3 steps</b>                        | Number of step<br>paddings in the set<br><b>2 pcs.</b>       | Type of non-slip<br>protection<br><b>clip-step R13</b> | Material<br><b>Plastics</b> |
| Weight<br><b>0.25 kg</b>                                | Transport dimensions<br><b>380 x 92 x 23 mm,<br/>0.251 kg</b> | Business division<br><b>MUNK Günzburger<br/>Steigtechnik</b> | Order no.<br><b>041540</b>                             | Price<br><b>€ 35.00</b>     |

### Facts

- The clip-step R13 step padding is a certified, non-slip covering for our step ladders. With its plastic profile with aluminium oxide particles, the clip-step R13 step padding meets the specifications of classification group R13 and was classified as V6 for the displacement space in this classification group
- The clip-step R13 step padding provides extra workplace safety, particularly in wet or oil-contaminated work environment

- The clip-step R13 step padding is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step step padding is applied up to the max. accessible step as per DIN EN 131 in the case of step ladders accessible from both sides, thus functioning as a visual check that the ladder is being used correctly
- Available as single accessory for 15.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

### Scope of supply

- Clip-step R13 step paddings (different lengths): 2 x
- Assembly instructions: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic

- No health hazards for the users

## More product pictures

---



## Added value

---

### Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit: [www.bgbau.de/service/angebote/arbeitschutzpraemien](http://www.bgbau.de/service/angebote/arbeitschutzpraemien)

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

## Corporate certifications

---

on sustainability criteria

